# GALLERY STOVES & FIREBASKETS 08-09





### WELCOME TO THE GALLERY COLLECTION

The Gallery Collection presents an extensive range of traditional and contemporary fireplaces, combining supreme craftsmanship, quality materials and elegance in design.

Our desire is to provide you with a superb choice of fireplaces skillfully made with high quality materials, all fitted in your home by reputable retailers so you can enjoy the experience of buying and owning your individual fireplace.

Featured in this brochure is a range of efficient cast iron stoves. The Firefox and the Tiger families in all their variations offer a compact range of sizes and options for gas or solid fuel burning. The brochure chapters are then arranged by style of Firebasket available, from contemporary to the more traditional. We pride ourselves on the breadth and variety of choice of our products and are confident there is something to suit all tastes and budgets.

Each Firebasket is shown with a mantel and slip set or cast iron fascia, with mantel surround and hearth options given in the text below each fireplace pictured. In many cases a chamber lining is used to finish off the look.

Please check the selection grid at the back of this **STOVES & FIREBASKETS** brochure or ask your retailer to help determine what products suit your particular circumstances. If your preferred combination of products is not shown, it does not mean they do not work together. There are many thousands of permutations and we are sure one of these will suit your taste.

### CONTENTS

- 01 STOVES
- 07 CONTEMPORARY FIREBASKETS
- 23 TRADITIONAL FIREBASKETS
- 29 FIREBASKETS & MANTEL DIMENSIONS
- **30 MANTEL OPTIONS**
- 31 ACCESSORIES
- 32 CARE & MAINTENANCE
- 32 STOVE DIMENSIONS



THE TIGER SOLID FUEL STOVE SHOWN IN A BRICK BUILT COUNTRY COTTAGE FIREPLACE

# SOLID FUEL FIREFOX

THE FIREFOX 5 SOLID FUEL STOVE MANTEL: OAK BEAM, CHAMBER: SLABBED BRICK BOARD WITH FRONT RETURNS, HEARTH: BARLEY



# STOVES





THE FIREFOX 12 SOLID FUEL STOVE MANTEL: OAK BEAM, CHAMBER: SLABBED BRICK BOARD WITH FRONT RETURNS, HEARTH: BARLEY SLATE



### THE FIREFOX 5 GAS

MANTEL: DURRINGTON 42 PORTUGUESE LIMESTONE, CHAMBER: PLAIN REEDED FIREBOARD (SLIPS NOT USED), HEARTH: PORTUGUESE LIMESTONE



**THE FIREFOX 8 GAS MANTEL: RYDAL 48 MARFIL**, CHAMBER: SLABBED BRICK BOARD (BACK PANEL NOT USED), HEARTH: MARFIL





### THE GAS TIGER

MANTEL: OAK HOWARD, CHAMBER: SLABBED BRICK BOARD WITH FRONT RETURNS AND OPTIONAL ARCH, HEARTH: 6" X 6" AUTUMN QUARRY TILED

### **THE TIGER AMERICANA** COOK TOP VARIATION ON THE TIGER STOVE

THE TIGER+ SOLID FUEL STOVE



THE TIGER EUROPA LOG STORE VARIATION ON THE TIGER STOVE



MANTEL: THE CONISTON PORTUGUESE LIMESTONE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS CHAMBER: NATURAL REEDED FIREBOARD (SLIPS NOT USED), HEARTH: PORTUGUESE LIMESTONE









### THE SMALL NEXUS black

MANTEL: BARTELLO 54" AGEAN LIMESTONE, FIRE: SOLID FUEL, BASKET SLIPS: GRANITE CHAMBER: PLAIN REEDED FIREBOARD, HEARTH: 54" SLABBED GRANITE FOR SOLID FUEL







# CONTEMPORARY



THE ELAN WITH BACK full polished Mantel: Richmond 54" Agean Limestone, Fire: Decorative gas fire with ceramic firewood, Basket Slips: Agean Limestone, Chamber: Plain Reeded Fireboard, Hearth: 54" Agean Limestone







### THE MATRIX black

MANTEL: MODENA 55" AGEAN LIMESTONE, FIRE: SOLID FUEL, BASKET SLIPS: GRANITE, CHAMBER: BLACK PAINTED REEDED FIREBOARD, HEARTH: 54" SLABBED GRANITE FOR SOLID FUEL









THE KRYPTON NO BACK full polished MANTEL: APOLLO 56" AGEAN LIMESTONE WITH AGEAN LIMESTONE INLAY, FIRE: DECORATIVE GAS FIRE WITH CERAMIC LOGS, CHAMBER & SLIPS: AGEAN LIMESTONE, HEARTH: 54" AGEAN LIMESTONE



MANTEL: MILANO 48" AGEAN LIMESTONE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC PEBBLES, FASCIA: SHIRE NEWTON HIGHLIGHT, CHAMBER: BLACK PAINTED REEDED FIREBOARD, HEARTH: 54" SLATE













### THE SMALL COTTAGE polished\*

MANTEL: WOBURN 54" AGEAN LIMESTONE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, BASKET SLIPS: SLATE, CHAMBER: CAST IRON REEDED PANELS, HEARTH: 54" SLATE \*COTTAGE BASKETS ARE REVERSIBLE BLACK AND POLISHED









THE ASTRA chrome finish MANTEL: BROMPTON 56" AGEAN LIMESTONE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC DRIFTWOOD, BASKET SLIPS: SLATE, CHAMBER: BLACK PAINTED REEDED FIREBOARD, HEARTH: 54" SLATE




THE CENTRIC *highlight* MANTEL: BROMPTON 56" AGEAN LIMESTONE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC DRIFTWOOD, BASKET SLIPS: SLATE, CHAMBER: BLACK PAINTED REEDED FIREBOARD, HEARTH: 54" SLATE



### THE SYMPHONY highlight

MANTEL: MARSEILLES 52" AGEAN LIMESTONE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC PEBBLES, FASCIA: SHIRE NEWTON HIGHLIGHT, CHAMBER: CAST IRON REEDED PANELS, HEARTH: 54" LIMESTONE WITH LIMESTONE PLINTH










THE VOYSEY highlight MANTEL: KINGSTON 63" CARRARA MARBLE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, SLIPS: GRANITE, CHAMBER: CAST IRON REEDED PANELS, HEARTH: 60" GRANITE





# TRADITIONAL


















GOTHIC



SENTINEL





**THE SWANS NEST** product is available in four sizes and can be selected with any of the dogs shown to the left.

The back plate is optional and can be reversed, decorative (see above) on one side and plain (see below right) on the other.






# BASKETS & MANTELS

BASKET SIZES	-0		0	H	~						_
DAUKEI UIZEU							SIZES				
BASKET											
ART DECO	V	V				545mm	245mm	475mm	V	V	V
ASTRA *			V			430mm	225mm	290mm	V	V	
BARBICAN *			V			395mm	315mm	305mm	V	V	
CANTILEVER *				~		555mm	245mm	320mm	V	V	V
CASTLE		V				570mm	280mm	440mm	V		V
CENTRIC *		V		~		455mm	285mm	400mm	V	V	
COTTAGE - SMALL *	~	V				485mm	305mm	365mm	V	V	
COTTAGE - LARGE	~	~				585mm	305mm	475mm	V		
CROMWELL 16"		V				390mm	280mm	180mm	V		
CROMWELL 18"		V				455mm	320mm	170mm	V		
ELAN NO BACK *	~	V				440mm	300mm	210mm	V	V	V
ELAN WITH BACK *	~	V				455mm	300mm	385mm	V	V	V
KENSINGTON		V				695mm	320mm	635mm	V	V	
KRYPTON WITH BACK	~	V				535mm	230mm	190mm	V		V
KRYPTON NO BACK	~	V				535mm	230mm	235mm	~		V
MATRIX	~	V				515mm	300mm	395mm	~		V
NEON NO BACK	~	V				375mm	285mm	190mm	~	V	V
NEON WITH BACK	~	V				375mm	285mm	230mm	~	V	V
NEXUS - SMALL (SOLID FUEL)		~				610mm	315mm	120mm	~		
NEXUS - SMALL (GAS)*		V	~			610mm	315mm	190mm	V	V	
NEXUS - LARGE (SOLID FUEL)		~				760mm	405mm	255mm	~		
NEXUS - LARGE (GAS)*		V	~			760mm	405mm	230mm	~	V	
PULSE*		V	~			455mm	285mm	250mm	~	V	
QUEEN ANNE				~	V	590mm	285mm	580mm	~	~	~
SWANS NEST 18"	~	V				455mm	305mm	135mm	~		
SWANS NEST 24"	~	~				625mm	350mm	150mm	~		
SWANS NEST 30"	~	~				765mm	335mm	150mm	~		
SWANS NEST 36"	~	~				920mm	410mm	170mm	~		
SYMPHONY				~		510mm	255mm	215mm	~	~	
VALENCIA 16" NO BACK		~				400mm	330mm	220mm	~	~	~
VALENCIA 18" NO BACK *		~				470mm	335mm	220mm	~	~	~
VALENCIA 18" WITH BACK		~				470mm	290mm	475mm	~	~	~
VALENCIA 21" NO BACK		~				550mm	330mm	220mm	~		~
VALENCIA 21" WITH BACK		~				550mm	290mm	500mm	~		~
VICTORIAN		~		~		505mm	315mm	510mm	~	~	~
VOYSEY		~		~		515mm	525mm	280mm	~	~	
ZEN WITH BACK *			~			495mm	375mm	240mm	V	V	
ZEN NO BACK *			~			495mm	375mm	140mm	V	V	
FIRE DOGS											
ART NOUVEAU		V		V		400mm	125mm	465mm			
CELTIC		V		V		520mm	145mm	495mm			
GOTHIC		V		V	V	485mm	255mm	425mm			
REGENCY		V		V	V	400mm	200mm	485mm			
SENTINEL		V	V			475mm	125mm	445mm			

### BASKET SIZES KEY



### NOTES


- \* High definition log set available for these baskets
- All products are suitable for burning solid fuel, however polished and highlighted products may tarnish. Only burn small fires to start with in order to temper the cast iron.
- Before committing to a fireplace, please discuss your particular installation with your retailer who will provide expert advice and carry out a survey.
- All dimensions are provided as a guide only and are subject to a tolerance of  $\pm$  12mm.
- Most fires have a remote control option, please ask your retailer.

Real stone has long been a distinctive material for fireplace mantels. As these are natural products each one will be unique, please visit your local Gallery retailer to see samples of the real thing. For dimensions please refer to the table below.



MANTEL SIZES (All sizes in mm)								
STONE			С	D			G	
APOLLO	1420	1147	915	915	1305	230	75	
ASQUITH	1405	1235	915	915	1235	215	70	
BARTELLO	1370	1165	910	910	1254	200	75	
BROMPTON 51" *	1295	1110	864	890	1194	200	70	
BROMPTON 56" *	1420	1136	915	916	1335	200	70	
BROMPTON 60" *	1524	1160	965	930	1425	200	70	
CHISWICK	1420	1121	915	915	1306	230	70	
CLAREMONT	1370	1260	860	905	1250	260	75	
CLARENDON *	1420	1136	915	916	1335	200	70	
GENOA	1118	1016	813	838	1118	125	25	
HENLOW 48" *	1220	1100	815	890	1145	200	25	
HENLOW 54" *	1370	1125	915	915	1245	200	25	
KINGSTON 56" *	1420	1135	880	915	1280	260	75	
KINGSTON 63" *	1600	1233	1003	1003	1503	260	75	
LONGFORD	1370	1125	910	915	1270	180	75	
LOW SUITE	1160	725	660	405	1160	75	-	
LYON	1250	1076	813	838	1118	190	25	
MARSEILLES	1315	1115	915	915	1315	190	71	
MILANO	1219	1092	813	838	1219	152	75	
MODENA	1405	1135	915	915	1235	215	70	
PALLADIO	1420	1288	915	915	1305	230	75	
PICCOLO	1235	1075	915	915	1235	130	70	
RICHMOND *	1372	1158	918	915	1258	220	75	
SIENNA 51"	1295	1085	863	865	1193	200	70	
SIENNA 54"	1372	1124	864	864	1270	200	70	
STOURHEAD *	1420	1136	915	916	1335	230	70	
WOBURN	1372	1154	864	914	1270	200	70	
TIMBER								
PINE BEDFORD 42"	1067	1105	710	850	990	880	25 - 76	
PINE BEDFORD 48"	1219	1180	865	915	1145	215	25 - 76	
PINE BEDFORD 54"	1372	1195	915	915	1260	215	25 - 76	
PINE DANESBURY	1372	1175	900	900	1245	190	25 - 76	
PINE GRAND CORBEL 54"	1372	1180	915	915	1260	215	25 - 76	
PINE GRAND CORBEL 60"	1524	1180	915	915	1346	222	25 - 76	
OAK HOWARD	1345	1195	915	915	1265	180	25 - 76	
PINE LINCOLN 48"	1219	1130	840	890	1145	180	25 - 76	
PINE LINCOLN 54"	1372	1155	915	915	1245	180	25 - 76	
PINE ROUNDEL	1118	1040	725	825	1005	150	25	
PINE WORCESTER	1370	1180	915	915	1245	190	25 - 76	
CAST IRON								
PALMERSTON 48"	1220	1265	790	890	1100	260	75	
PALMERSTON 54"	1372	1270	915	915	1220	260	75	

\* These mantels have the added benefit that the legs can be moved further apart by up to 50mm if required



# MANTEL OPTIONS



GENOA 44" AVAILABLE IN AGEAN LIMESTONE



MILANO 48" AVAILABLE IN AGEAN LIMESTONE



HENLOW 48" & 54" AVAILABLE IN AGEAN LIMESTONE



PICCOLO 49" AVAILABLE IN AGEAN LIMESTONE



LYON 50" AVAILABLE IN AGEAN LIMESTONE



MARSEILLES 52" AVAILABLE IN AGEAN LIMESTONE



RICHMOND 54" AVAILABLE IN AGEAN LIMESTONE & CARRARA MARBLE.



SIENNA 51" & 54" Available in Agean Limestone



BARTELLO 54" AVAILABLE IN AGEAN LIMESTONE



WOBURN 54" AVAILABLE IN AGEAN LIMESTONE



ASQUITH 55" AVAILABLE IN AGEAN LIMESTONE



MODENA 55" AVAILABLE IN AGEAN LIMESTONE



CHISWICK 56" AVAILABLE IN AGEAN LIMESTONE & CARRARA MARBLE.



KINGSTON 56" Available in Agean Limestone & Carrara Marble. Kingston 63" Available in Carrara Marble



APOLLO 56" Available in Agean Limestone With Sunni Beige or Agean Limestone Inlay (Shown)



PALLADIO 56" Available in Agean Limestone With Agean Limestone or Sunni Beige Inlay (Shown)



CLARENDON 56" AVAILABLE IN AGEAN LIMESTONE



**STOURHEAD 56"** AVAILABLE IN AGEAN LIMESTONE



BROMPTON 51", 56" & 60" AVAILABLE IN ACEAN LIMESTONE BROMPTON 56" AVAILABLE IN CARRARA MARBLE

### ACCESSORIES

All sizes in millimetres

### **CERAMICS**

















**HIGH DEFINITION CERAMIC LOG SET** 

**BUCKETS** 

SALISBURY

Size dia: 228 Black x 1 Code: 0322



DRIFTWOOD



Many of our fires have a choice of ceramic fuel as can be seen below, Coal is the standard with the others being optional extras



**FIREWOOD** 





SALISBURY Brass x 1 Code: 1300



SALISBURY Size dia: 228 Pewter x 1 Code: 1368



WATERLOO Black x 1 Code: 0327



WATERLOO Size dia: 279 Pewter x 1 Code: 0328






CATHEDRAL

Size dia: 228 / 254 / 330 Black x 3 Code: 1305

CRUSADE Black ack single panel guard 609 (H) x 609 (W) Code: 2022



DYNASTY Pewter 3 panel screen 660 (H) x 431 (W) Code: 1228



Black 3 panel guard 609 (H) x 609 (W) x 177 Panels Code: 2032

DYNASTY

Antique 3 panel screen 660 (H) x 431 (W)



Black curved guard 558 (H) x 635 (W) x 127 return Code: 2042

DYNASTY

Brass 3 panel screer 660 (H) x 431 (W)

Brass





DYNASTY

Black 3 panel screer 660 (H) x 431 (W)

Code: 1796



CRUSADE 4 fold guard with black finish 635 (H) x 229 (W) Panels Code: 2058



CAMBER Black curved guard Code 2065: 610 (H) x 660 (W) Code 2067: 660 (H) x 760 (W)



DYNASTY Chrome 3 panel screen 660 (H) x 431 (W) Code: 1227



DYNASTY Pewter 4 panel screen 635 (H) x 203 (W) panels Code: 1230













31

### AFTERCARE & MAINTENANCE

### Understanding your new gallery fireplace.



### **CAST IRON**

All the cast iron products are delivered with a protective, oil-based coating on polished surfaces. This should be cleaned off during installation. It

is recommended that a spray-type oil is applied from time to time in order to avoid surface rust appearing. Ensure that the room in which the cast iron product is being installed is thoroughly dry. For example recently plastered walls cause high levels of moisture in the atmosphere and, as a result, rust is likely to occur.

### Under no circumstances should a waterbased cleaner or polish be used to clean cast iron products.

When using ceramic fuel, ensure that these do not touch any of the polished surfaces as this will help to minimise the possibility of thermal discolouration.

High temperature paint is used on the black and graphite products where fires will burn. This paint will eventually burn off. A proprietary, high temperature paint can be used to recoat your fireplace. Such paint is available from your retailer. Its your responsibility to burn smoke free fuels if you live in a smoke free zone.

There are some very high temperature burning fuels which can cause damage to any fireplace. Please refer to the Solid Fuel Association (www.solidfuel.co.uk) recommendations and use an approved coal merchant as your supplier. No responsibility can be accepted if high temperature fuels have been used or if there is excessive draft. If in doubt we recommend the use of a clay fire back.

Clean ash away regularly as a build up beneath the fire will cause the grate to burn out quickly. The grate is a consumable part of your fire and will need replacement from time to time, depending on the frequency and burning temperature of your fires.



### GAS FIRES

A gas fire is a technical piece of equipment and, just like a gas boiler needs regular servicing. Please ensure that you have your gas fire serviced regularly by a

CORGI (Board Gais in ROI) registered installer.



### LIMESTONE

Limestone products, once installed and dry should be cleaned and re-sealed where necessary using Gallery Collection aftercare

products. All our limestone products are delivered pre-sealed in order to minimise any marks created during fitting. Your installer should carry out the initial sealing where applicable. Further sealing should not be necessary. The stone mantels pictured are manufactured from 100% natural material. As such the mantel you will purchase will be unique due to the inevitable variations in fossil formation, veining and colour. This is one of the great attractions of 100% pure natural products. Please be aware that small fossils and variations in the limestone are part and parcel of this wonderful natural product.



### MARBLE

Marble products may have small amounts of colour-matched filler to give the impression of a continuous surface. The nature of marble is

such that when it is formed in the earth, some small cracks are created too. The marble that is selected for the mantels shown in this brochure has been chosen to provide affordable quality, thus some minor cracks have been permitted. To achieve a perfect piece of marble with no imperfections at all means a huge amount of wastage. This has two principal effects, the product becomes prohibitively expensive and the natural resources are depleted too quickly - a much more harmful approach to the world's environment.

### General information

- The colours shown in the brochures are as accurate as possible, but if the colour you require is critical then please consult your retailer before basing all your decisions on the colours shown here.
- Please also note that shading and crazing are characteristics of the glazed tiles used in tiled inserts and tiled hearths.
- iii. There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right), so if you are about to set your heart on a particular fireplace, please consult your retailer before making that final commitment
- iv. All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, in particular, Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations.

### For gas installations the most recognised independent body is CORGI (Board Gais in ROI) and for solid fuel installations it is HETAS.

Please confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace fitted by a CORGI (Board Gais in ROI) or HETAS registered fitter you will be given a certificate stating that your installation has been carried out in accordance with the Building Regulations. If you do not have one of these certificates then you will have to arrange for your local Building Control Officer to inspect your installation and approve it.

### STOVE OUTPUT INFO

STOVE	MAX HEAT OUTPUT	EFFICIENCY
Firefox 5 solid fuel	6kw	79%
Firefox 8 solid fuel	8.4kw	79%
Firefox 12 solid fuel	1 3kw	76%
Firefox 5 gas	4kw	73%
Firefox 8 gas	5kw	73%
Tiger solid fuel	6kw	77%
Tiger+ solid fuel	6.2kw	78%
Tiger gas	5kw	73%

### STOVE DIMENSIONS (mm)

STOVE	W	D	Н			
Tiger	545	335	595			
Tiger+	545	335	640			
Firefox 5	400	355	575			
Firefox 8	545	360	595			
Firefox 12	655	415	680			

All Gallery stoves are manufactured from cast iron, therefore it is vital that appliances undergo a period of 'burning in', this involves small fires initially, gradually increasing in size with each firing, if this process is adhered to, you should experience years of trouble free, enjoyable use.

All Gallery stoves are CE approved to EN13240 and are suitable for use with wood, coal, coke, peat, anthracite or smokeless fuels.

Each stove has a riddling grate mechanism to ease de-ashing. Please ensure that all ash is removed from your solid fuel stove (once cooled) on a regular basis, it is important that a build up of ash is not allowed to occur as this will affect the life of the consumable parts within the burning chamber.

All Gallery solid fuel stoves can be top or rear flue exit, gas stoves are top exit only.

Gallery solid fuel stoves, in use, become very hot and therefore, all are supplied with a heat resistant mitten for safety.

Gallery gas stoves utilize an 'air wash' system which helps to keep the large viewing glass clean during operation and improve efficiency.

All gallery stoves are supplied with detailed, comprehensive installation & user instructions. It is critical that ALL installations conform to relevant Building Regulations and should be carried out by a qualified CORGI registered installer when fitting a gas stove, or a HETAS qualified engineer when installing for use with solid fuel. Failure to comply with these requirements may reduce the efficiency & serviceability of your appliance and will invalidate any guarantee. It is essential that prior to any installation, a relevant qualified engineer verifies the proposed site, location and conditions are suitable for the stove selected.

### PLEASE NOTE


 Your Gallery fireplace is made up of a number of different components and it is important to ensure the your installer has the necessary qualifications and experience to fit ALL the components of a fireplace. Variations in colour, veining and fossil formation in natural products are not considered defects, however in the unlikely event that there is a defect in any of the products shown in this brochure, then a replacement will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation is no responsibility for re-fitting or redecoration can be accepted if defective products have been installed. In his case and in the case of accidental damage after nstallation, in-situ repairs can be made by specialists, ubject to prior agreement of terms with your retailer.

## STOVE SELECTION





Original Gallery Collection products are (anti copying in design) registered, and are therefore protected by UK design right. We will not compromise on quality, neither should you, so in order for you to receive products manufactured to the highest possible standards, insist only on a genuine Gallery Collection Fireplace.



DEALER STAMP

