

MAZONA STOVES



Put a heart in your home...


CHOOSING THE
RIGHT STOVE FOR
YOUR HOME CAN
BE CONFUSING,
SO WE WANT TO
MAKE IT SIMPLE!

As a guide, measure the room and multiply width, depth and height in metres (WxDxH) and divide the result by 14, eg 5m x 5m x 2.6m then divide by 14 which makes 4.6. Therefore a stove with a minimum of 4.6KW output is recommended for your room.

Now Choose Your Perfect Stove...

*The calculation should be used as a guide only. The heat output in a room can vary depending on insulation, position of the room and the number of windows, doors and sizes of these. There are also a number of other factors to consider.


BRINGING A FAMILY ROOM
TOGETHER



Kansas pg4




Cairo pg13




Montana pg6



Luxor pg14




Fitting Materials pg23



Nevada pg8



Olive pg16



Vermiculite pg25



Orlando pg10



Tuscon pg18




Flue Pipe pg26



Nile pg12



Denver pg20



Accessories pg29



Fire Door pg22



Hearths pg32



Kansas Enamel



Kansas Matt Black



Kansas Sepia



Kansas Cream



Kansas Cream Handle



Kansas Cream Foot

Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Kansas	5.3KW	77.30%	85Kgs	675 x 470 x 380mm	Dia. 5"	Top or Rear	—	✓	✓

5.3KW
Heat
Output

77.3%
Efficiency

CE
Approved

Air Wash
&
Riddle Grate
✓



Neat and beautifully compact - the Kansas stove is both fuel and space efficient, available in cream, black and sepia, fitting for any stylish home.



Montana Matt Black



Montana Black Enamel



Montana Sepia

A traditionally designed stove, the Montana brings a family room together as a featured focal point. A Stove with clean lines and detailed legs, the Montana is effortlessly inviting. This multi-fuel stove is available with a range of finishes, giving you choice and warmth. Choose the Montana in a Matt Black, Black Enamel and Sepia Enamel.

Stove	Nominal Heat Output	Output to Heating System	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Air Wash	Riddle Grate
Montana Boiler Stove	4.6KW	7.3KW	70%	124Kgs	685 x 540 x 500mm	Dia. 6"	Top or Rear	✓	✓

4.6KW
Heat
Output

70%
Efficiency

CE
Approved

Air Wash
&
Riddle Grate
✓





Black Nevada Enamel



Nevada Matt Black



Nevada Brown Enamel

Heat your home with the Nevada with its clean lines and large fire viewing window, a perfect gathering for those relaxing afternoons.

The Nevada is a boiler stove and has a heat output to your heating system, warming the rooms in your home.

Available in Black Enamel, Matt Black and Brown Enamel, the Nevada is perfect for a family room.

Stove	Nominal Heat Output	Output to Heating System	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Air Wash	Riddle Grate
Nevada	8KW	12KW	78%	223Kgs	830 x 620 x 580mm	Dia. 6"	Top or Rear	✓	✓

8KW
Heat
Output

78%
Efficiency

CE
Approved

Air Wash
&
Riddle Grate
✓





Medium Orlando



Small Orlando



Large Orlando



A stunning traditional range of stove available in different sizes to fit any rooms focal point. Enjoy the warmth of this traditionally designed range.

Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Small Orlando	5.6KW	78.70%	79Kgs	605 x 430 x 380mm	Dia. 5"	Top or Rear	—	✓	✓
Medium Single Door Orlando	8.4KW	78.80%	100Kgs	770 x 535 x 400mm	Dia. 5"	Top or Rear	—	✓	✓
Medium Double Door	8.4KW	78.80%	100Kgs	770 x 535 x 400mm	Dia. 5"	Top or Rear	—	✓	✓
Large Orlando	12.2KW	72.70%	147Kgs	760 x 690 x 460mm	Dia. 6"	Top or Rear	—	✓	✓

5-12.2KW

Air Wash
&
Riddle Grate
✓

CE
Approved

Up to
78.8%
Efficiency



Nile

Go to Page 29
for Accessories to
suit the Nile stove
for your home



Wooden Bucket Full Black
Metal with Mango

A traditionally detailed stove with a double door, the Nile stove is a welcomed feature stove providing heat and style to a beautiful home creating a perfect partnership of style and elegance for modern living. The Nile Stoves Double Door allows extra viewing of a warm relaxing fire for relaxing afternoons. Gather your friends and family around and enjoy the glow of the Nile stove.

Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Nile	8KW	78.10%	147Kgs	810 x 670 x 560mm	Dia. 7"	Top or Rear	—	✓	✓

8KW
Heat
Output

78.1%
Efficiency

CE
Approved

Air Wash
&
Riddle Grate
✓



Cairo

Luxor



A reliable and favoured choice with Irish families for over 10 years.



With charmingly detailed door featuring a wooden handled door, the Luxor is a beloved choice.

<div>6.8KW Heat Output</div> <div>77.8% Efficiency</div> <div>CE Approved</div> <div>Air Wash & Riddle Grate ✓</div>									
Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Cairo	6.8KW	77.84%	76Kgs	595 x 430 x 445mm	Dia. 5"	Top or Rear	—	✓	✓

<div>6.8KW Heat Output</div> <div>77.8% Efficiency</div> <div>CE Approved</div> <div>Air Wash & Riddle Grate ✓</div>									
Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Luxor	6.8KW	77.84%	76Kgs	595 x 430 x 445mm	Dia. 5"	Top or Rear	—	✓	✓



A Multi fuel stove with a large viewing window, the Olive stove has been a new addition to the Mazona Stove family and has become a popular choice.

The Olive is a traditionally designed stove with character and charm.

A highly efficient and charming stove which is welcoming after a long day.

Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Olive	6KW	78.60%	81Kgs	615 x 440 x 430mm	Dia. 5"	Top or Rear	—	✓	✓

6KW
Heat
Output

78.6%
Efficiency

CE
Approved

Air Wash
&
Riddle Grate
✓





Tuscon

The Tuscon Stove is a welcomed addition to the Mazona Stove range.

An inset stove with clean lines and a detailed handle, this stove fits seamlessly into a Fire Surround.

Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Tuscon	5KW	78.50%	74.5Kgs	605 x 485 x 445mm	Dia. 5"	Top	—	✓	✓

5KW
Heat
Output

78.5%
Efficiency

CE
Approved

Air Wash
&
Riddle Grate
✓





Black Enamel



Sepia Enamel



Matt Black

With three colours to choose from, the Denver will heat your home and is designed to fit into a traditional open fire frame. It can be fitted without removing an existing fire back, taking away the hassle and giving you the warmth.

Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Denver inset	7.8KW	74%	70Kgs	597 x 498 x 320mm	Dia. 6"	Top	—	✓	—

7.8KW
Heat
Output

74%
Efficiency

CE
Approved

Air Wash
&
Riddle Grate
✓





FEATURES

- ✓ Airwash system for cleaner glass
- ✓ Suits most 16" or 18" openings
- ✓ DIY installation
- ✓ Allows you to use existing fireback and grate
- ✓ Increased efficiency of 69%
- ✓ Control the burn rate of your fire
- ✓ Enables you to burn fuel at a slower rate whilst increasing the output of a back boiler

MEASUREMENTS

Frame	21inch wide 24.5inch height 1.5inch deep
Inside (log size)	15inch wide 19.5inch height
Door	18inch wide 22.5inch height



Fitting Materials

KOS Fire Cement Tub



KOS FIRE CEMENT AVAILABLE IN:

500g White Black
1Kg White, Black
2Kg White, Black
6Kg White
12.5Kg White, Black
25Kg White

Purimachos Heat Resistant Plaster 12.5kg & 20kg



Purimachos Mouldable Firebrick 5kg



Purimachos Heatproof Screed 10Kg



Heat Mate Silicone Red C3



KOS Fire Cement Cartridge 300ml - black or white



KOS Flue Cement Cartridge 300ml



Tenax Hardener for Marble Glue 45ml



Marble Glue and 45ml Hardener - black, transparent and white



Purimachos Rope Seal Adhesive - 100ml or 250ml



Mazona Stove Pipe Thermometer



Aluminium Tape 45metres



Carbon Monoxide Alarm



All rope available per metre or in 25m and 30m coils

8mm Tight Bound Rope



6mm Tight Bound Rope



10mm Tight Bound Rope



20mm Loose Bound Rope



10mm Black Sticky back Fibre Rope



12mm Loose Bound Rope





Vermiculite Board



Flue Pipe



Board	Density	Measurements
Black Brick	700	800 x 600 x 20
Black Reed long	700	800 x 600 x 21
Small Cream Brick	750	1020 x 620 x 20
Cream Brick	700	800 x 600 x 20
Small Cream Brick	750	1250 x 1000 x 20
Cream Reed long	700	800 x 600 x 20
Cream Reed long	750	1020 x 620 x 20
Cream Reed long lines	750	1000 x 1000 x 20
Plain	750	1020 x 620 x 25
Plain	750	1020 x 620 x 30
Plain	1200	1000 x 610 x 20
Plain	1200	1000 x 610 x 25



Flue Locking Band



5inch Twin Wall Flue to Flexi Adapter



45 Degree Bend



30 Degree Bend



15 Degree Bend



5 to 6inch Twin Wall Flue



5inch Enamel to 6inch Twin Wall Increasing



Twin Wall Pipe



V-Tec Flue Pipe

Available in 5" and 6"
Twin Wall Adjustable Pipe
120mm Twin Wall Flue Pipe
300mm Twin Wall Flue Pipe
500mm Twin Wall Flue Pipe
1000mm Twin Wall Flue Pipe

PRODUCTS AVAILABLE

Available in 5, 6 and 7inch

Locking Band Steel For Flex Flue
Steel Support Collar Insert for Flexi Flue
Steel Support Collar For Flexi Flue
45degree Flue Bend

Available in 4, 5 and 6inch

Enamel Flue Plug For T Piece

Available in 5 and 6inch

Reducer Adaptateur
Reducing Cuff for Flexi Flue
5 - 6" Pipe Increaser
90degree Flue Bend
90degree Flue Bend with Door
90degree Flue Bend Flue Tee with Cap

Chimney Liner

4" - 8" Chimney Liner Adapter
5" - 8" Chimney Liner Adapter
6" - 8" Chimney Liner Adapter
5" 1m S/steel Flexible Flue Liner
5" - 8" Offset Chimney Liner Adapter
6" - 8" Offset Chimney Liner Adapter

Premier

5" 0 - 90degree bend
6" 0 - 90degree bend
5" 900mm Gloss cream Pipe
6" 900mm Gloss cream Pipe

Black Vitreous Pipe

Available in 4, 5 and 6inch
Enamel Flue C/w Door
250mm Enamel Flue Pipe
500mm Enamel Adjustable Flue & Ring
500mm Enamel Flue C/w Door
500mm Enamel Flue Pipe
1000mm Enamel Flue Pipe Plain



45degree Flue Bend



90inch Enamel Flue Bend



5inch Reducing Cuff for Flexi Flue



90 Enamel Flue Bend with Door



Pot Hanger



90degree Enamel Flue Tee with Cap



5inch 110mm offset 500mm Length



250mm Flue Damper



5 to 6inch Pipe Increaser

The VTec range is available in both 5 and 6inch

Accessories

27" Black Cage Top 4 Piece Companion Set



22, 19 or 16" Empress 4 Piece Knob Companion Set



16" Black Duchess 4 Piece Companion Set



Basket Medium 4 Piece Companion Set Black



Loop Top 4 Piece Companion Set Black 24inch



Twist Top 4 Piece Companion Set Black 20inch



Pipe Knob 4 Piece Companion Set Black 21inch



4 Piece Tool st CW Beech



3 Piece Tool Set Arched Beech



3 Piece Tool Set Arched Steel



Urn Top 4 Piece Companion Set Black 16inch



Bellows Circular Design 19inch



Log Carrier Black Metal



German Coal Bucket Small Black 9inch



11inch Double Lip Coal Bucket And Shovel Black



Long Umbrella Bucket Black 22inch



Half Umbrella Bucket with Pewter



German Coal Bucket Medium Black



Half Umbrella Black Bucket with Brass



Medium Plain Bucket Black 11inch



Water Loo Bucket Black 15inch



3 Piece German Coal Bucket Set Black



Taper Shape Rose Bucket Black 9inch



Wooden Bucket Full Black Metal with Mango



Accessories

Pair Of Stove Gauntlet Red Fire Gloves



Grey Fire Mitt



Pair of Stove Gauntlet Grey and Red Fire Gloves



Round 60 PC Match Stick Holder Black 9inch



5" Black Metal Shovel



9" Black Shovel with Wooden Handle



Oval 60 pc match Stock Holder Black 9inch



5" back of Black Metal Shovel



9" back of Black Shovel with Wooden Handle



Plain Black Fire Screen 21inch 4 fold




Garland Fire Screen 24x34.7inches



Arched Top Black Folding Steel Fire Screen 36x35inches




Stove Hearths





40x30 Arch Filed Stove Hearth






60x30 Arch Filed
Stove Hearth




36x36 Square Filed
Stove Hearth



FRONT


TOP
TRANSPARENT



SIDE




36x36 Hexagonal
Fired Stove Hearth



FRONT

TOP
TRANSPARENT




SIDE




54x30 Arch Fired
Stove Hearth

Stove Hearths



TOP
TRANSPARENT



SIDE



33x24 Rectangle
Filled Stove Hearth

Stove	Nominal Heat Output	Efficiency	Weight	Dimensions (HxWxD mm)	Flue Collar (Inches)	Flue Outlet	Output to Heating System	Air Wash	Riddle Grate
Montana Boiler Stove	4.6KW	70%	124Kgs	685 x 540 x 500mm	Dia. 6"	Top or Rear	7.3KW	✓	✓
Tuscon	5KW	78.50%	74.5Kgs	605 x 485 x 445mm	Dia. 5"	Top	—	✓	✓
Kansas	5.3KW	77.30%	85Kgs	675 x 470 x 380mm	Dia. 5"	Top or Rear	—	✓	✓
Small Orlando	5.6KW	78.70%	79Kgs	605 x 430 x 380mm	Dia. 5"	Top or Rear	—	✓	✓
Olive	6KW	78.60%	81Kgs	615 x 440 x 430mm	Dia. 5"	Top or Rear	—	✓	✓
Luxor	6.8KW	77.84%	76Kgs	595 x 430 x 445mm	Dia. 5"	Top or Rear	—	✓	✓
Cairo	6.8KW	77.84%	76Kgs	595 x 430 x 445mm	Dia. 5"	Top or Rear	—	✓	✓
Nevada	8KW	78%	223Kgs	830 x 620 x 580mm	Dia. 6"	Top or Rear	12KW	✓	✓
Nile	8KW	78.10%	147Kgs	810 x 670 x 560mm	Dia. 7"	Top or Rear	—	✓	✓
Medium Single Door Orlando	8.4KW	78.80%	100Kgs	770 x 535 x 400mm	Dia. 5"	Top or Rear	—	✓	✓
Medium Double Door	8.4KW	78.80%	100Kgs	770 x 535 x 400mm	Dia. 5"	Top or Rear	—	✓	✓
Denver inset	7.8KW	74%	70Kgs	597 x 498 x 320mm	Dia. 6"	Top	—	✓	—
Large Orlando	12.2KW	72.70%	147Kgs	760 x 690 x 460mm	Dia. 6"	Top or Rear	—	✓	✓

*All stoves have been CE approved and tested at the stated heat output and efficiency in accordance with EU regulation.

STOVE WARRANTY

5 Years - Your warranty covers replacement of the stove body if it is found to be defective within 5 years of purchase. Labour and shipping costs are not covered. 1 Year - Bottom grate, riddling bars, front bars, ashpan and handle. Terms and Conditions must be met to validate your stove warranty. Please find these within your stove manual.



The Mazona Stove Range has been designed and built in compliance with the relevant CE standards, so you can rest assured that your stove meets European health, safety and environmental protection legislation.



Micon Distribution Ltd.
1A Hallstown Road
Ballinderry Upper
Lisburn
Co. Antrim
Northern Ireland
BT28 2NE

Tel (Sales) +44 (0)28 9262 0880
Fax +44 (0)28 9262 0886

Email mail@micon-dist.com
Web www.micon-dist.com

Find us on:



Colour and shade reproduction in this brochure are as accurate as printing processes will allow. We recommend that the colour of the required product is viewed at your local retailer prior to purchase.

Due to the nature of the product and the way each product is hand crafted a tolerance of 1 inch must be allowed on all measurements quoted in this brochure.

As part of our continual development programme Micon Distribution Limited reserve the right to withdraw, change or substitute products and/or materials in this brochure without prior notice.

PKT Creative Design/Print 07786 891862 (05/14)

